



# HSM SECURIO Document Shredders

Product Overview

# HSM SECURIO AF-series document shredders

Innovative, convenient and time-saving. The shredders of the autofeed-series with Nanogrip Technology combine functionality and operating convenience. For reliable and easy destruction of document stacks and single sheets in the workplace.



## Special product features:

- Useful dual function: manual feed of paper during autofeed stack processing.
- Light barrier for automatic start/stop.
- Powerful motor allows for continuous operation (from AF150 upwards).
- Multifunction element for intuitive operation (from AF150 upwards).
- Effortless emptying of the waste container via the removable housing top (AF100).
- Removable waste container for effortless emptying (AF150 and AF300).
- Convenient removal and emptying of the reusable collecting bag (AF500).
- Automatic return eliminates paper jams.
- Mobile on castors (from AF150 upwards).



Lock-and-Go function protects against unauthorized access, HSM SECURIO AF300 and AF500.



Hinged magazine for paper stacks, HSM SECURIO AF300 and AF500.



1 HSM SECURIO AF100

2 3 HSM SECURIO AF150/AF300

4 HSM SECURIO AF500

## Specifications



Find out more.  
Scan the QR code.

Model	1 HSM SECURIO AF100	2 HSM SECURIO AF150	3 HSM SECURIO AF300	4 HSM SECURIO AF500	5 HSM SECURIO C14	
Scope of application	Home / small office (1-3 pers.)	Office (up to 5 persons)	Office (up to 5 persons)	Office (up to 5 persons)	Home / small office (1-3 persons)	
Cutting type	particle	particle	particle	particle	strip	particle
Cutting size in mm / Product number	4 x 25 / 2063811	4.5 x 30 / 2083811 1.9 x 15 / 2082811 0.78 x 11 / 2085811	4.5 x 30 / 2093811 1.9 x 15 / 2092811 0.78 x 11 / 2095811	4.5 x 30 / 2103811 1.9 x 15 / 2102811 0.78 x 11 / 2105811	3.9 / 2250811	4 x 25 / 2253811
Security level DIN 66399	P-4/T-4/E-3/F-1	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3	P-2/T-2/E-2	P-4/T-4/E-3/F-1
Cutting capacity 80 g/m <sup>2</sup> in sheets DIN A4	5-6	8-10 6-7 5	12-14 8-10 6	14-16 9-11 6	10-12	5-6
Noise level in dB(A)*	56	56	56	56	55	
Capacity of auto-feed unit	max. 100 sheets	max. 150 sheets	max. 300 sheets	max. 500 sheets	-	
Intake width in mm	225	240	240	240	225	
Motor in Watts	280	500	500	500	250	
Size (W x D x H) in mm	375 x 260 x 620	395 x 381 x 740	395 x 435 x 837	497 x 491 x 1002	366 x 258 x 405	
Weight in kg	7	18 / 18 / 19	19	29 / 29 / 30	4	5
Collection volume in l	25	34	34	82	20	
Shredder material: paper and						

Voltage/frequency: 230 V / 50 Hz, \* in idle operation

All statements without guarantee. Subject to technical and design changes. <sup>1</sup>CDs CANNOT be destroyed in the following cutting sizes: HSM SECURIO AF150 / HSM SECURIO AF300 / HSM SECURIO AF500: 1.9 x 15 mm, 0.78 x 11 mm. <sup>2</sup>Credit cards CANNOT be destroyed in the following cutting sizes: HSM SECURIO AF150 / HSM SECURIO AF300 / HSM SECURIO AF500: 0.78 x 11 mm.

# HSM SECURIO P-series document shredders

Visionary technology for the office of tomorrow. In particular, the unique IntelligentDrive feature incorporates new control panel and motor technology that gives up to 40 % increased performance, intelligent jam correction and lower operating noise levels. Highly suitable for the destruction of documents for large working groups of up to 15 people.



## Special product features:

- Intelligent paper jam correction. The machine recognises very quickly if too much paper has been fed in and reacts autonomously.
- The stand-by and automatic switch-off features ensure a high degree of energy saving.
- Powerful motor allows for continuous operation.
- The device automatically switches off if pressure is applied to the safety element.
- Practical automatic start/stop.
- Mobile on castors.
- High quality wooden floor cabinet with door. Convenient removal and emptying of the reusable collecting bag.



Intuitive operation and multi-language menu selection via the 4.3" touch display.



## The innovative drive and operating concept IntelligentDrive offers the following operating modes:

- Silent** for particularly quiet operation.
- Standard** with an optimum throughput rate and low noise level.
- Performance** for maximum cutting and throughput performance.



With an integrated automatic oiler for particle cut models, for a consistently high cutting performance.

The HSM innovation: **IntelligentDrive**



14 15 16 HSM SECURIO P36i / P40i / P44i

## Specifications



Find out more.  
Scan the QR code.

Model	14 HSM SECURIO P36i		15 HSM SECURIO P40i		16 HSM SECURIO P44i	
Scope of application	Department (up to 15 persons)		Department (up to 15 persons)		Department (up to 15 persons)	
Cutting type	strip	particle	strip	particle	strip	particle
Cutting size in mm / Product number	5.8 / 1851821 3.9 / 1850821	4.5 x 30 / 1853821 1.9 x 15 / 1852821 0.78 x 11 / 1855821 1 x 5 / 1854821	5.8 / 1881821 3.9 / 1880821	4.5 x 30 / 1883821 1.9 x 15 / 1882821 0.78 x 11 / 1885821 1 x 5 / 1884821	5.8 / 1871821 3.9 / 1870821	3.9 x 40 / 1873821 1.9 x 15 / 1872821 0.78 x 11 / 1875821 1 x 5 / 1874821
Security level DIN 66399	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/O-4/T-5/E-4/F-2 P-6/F-3 P-7/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/O-4/T-5/E-4/F-2 P-6/F-3 P-7/F-3
Cutting capacity 80 g/m <sup>2</sup> in sheets DIN A4	43-45 34-36	27-29 16-18 11-13 8	56-58 44-46	34-37 19-21 13-15 9	77-79 61-63	43-45 25-27 17-19 11
Noise level in dB(A)*	55		55		55	
Intake width in mm	330		330		400	
Motor in Watts	1100		1300		1900	
Size (W x D x H) in mm	580 x 550 x 1020		580 x 550 x 1020		700 x 592 x 1105	
Weight in kg	64	68	67	72	105	
Collection volume in l	145		145		205	
Shredder material: paper and						

## Options

Product no. + letter

- Ⓓ Metal detection
- Ⓒ Separate CD cutting unit in cutting size 4 x 7 mm
- Ⓜ Separate OMDD cutting unit in cutting size 2 x 2 mm
- Ⓝ Separate OMDD cutting unit + metal detection

Voltage/frequency: 230 V / 50 Hz, \* in standard operation mode (idle operation)

All statements without guarantee. Subject to technical and design changes. <sup>1</sup>CDs CANNOT be destroyed in the following cutting sizes: HSM SECURIO P36i: 1.9x15 mm, 0.78x11 mm and 1x5 mm; HSM SECURIO P40i / HSM SECURIO P44i: 0.78x11 mm and 1x5 mm. <sup>2</sup>Credit cards CANNOT be destroyed in the following cutting sizes: HSM SECURIO P36i / HSM SECURIO P40i / HSM SECURIO P44i: 0.78x11 mm and 1x5 mm. <sup>3</sup>Disks CANNOT be destroyed in the following cutting sizes: HSM SECURIO P40i: 1.9x15 mm, 0.78x11 mm and 1x5 mm; HSM SECURIO P44i: 0.78x11 mm and 1x5 mm. <sup>4</sup>Paper clips CANNOT be destroyed in the following cutting sizes: generally at 1x5 mm. <sup>5</sup>USB sticks CANNOT be destroyed in the following cutting sizes: HSM SECURIO P44i: 0.78x11 mm and 1x5 mm.

# HSM SECURIO document shredders

With the HSM SECURIO document shredders you can expect the highest level of quality. Regardless of whether you have chosen the AF-series with automatic paper feed, the C-series for the small office, the B-series for the workplace or the P-series with IntelligentDrive for professional use: you are on the safe side with shredders from HSM!



Actual zero power consumption in stand-by mode, for the models HSM SECURIO C14, C16 and AF100.



Lifetime warranty on steel cutting rollers in HSM SECURIO document shredders at security levels P-2 to P-5.



HSM SECURIO document shredders, with the exception of HSM SECURIO P36i, P40i and P44i, have been awarded the Blue Angel certificate.



0.1 Watt power consumption in stand-by mode for the document shredders HSM SECURIO C18 to B35 and AF150 to AF500.



3 years warranty for the HSM SECURIO document shredders.



HSM produces all document shredders of the HSM SECURIO range in Germany.

## HSM SECURIO C-series document shredders

Small, attractive and energy-saving. The C-series shredders are appealing due to their compact design and easy operation.



### Special product features:

- Quiet operation minimises noise development in the workplace.
- Practical automatic start/stop.
- Level indicator through inspection window (from C16 upwards).
- High degree of user safety.



Easy and convenient emptying.



5 HSM SECURIO C14



6 HSM SECURIO C16



7 HSM SECURIO C18



Find out more.  
Scan the QR code.

Model	6 HSM SECURIO C16		7 HSM SECURIO C18		8 HSM SECURIO B22		9 HSM SECURIO B24	
Scope of application	Home / small office (1-3 persons)		Home / small office (1-3 persons)		Office (up to 5 persons)		Office (up to 5 persons)	
Cutting type	strip	particle	strip	particle	strip	particle	strip	particle
Cutting size in mm / Product number	5.8 / 1901811 3.9 / 1900811	4 x 25 / 1902811	5.8 / 1911821 3.9 / 1910821	3.9 x 30 / 1913821 1.9 x 15 / 1912821	5.8 / 1831821 3.9 / 1830821	3.9 x 30 / 1833821 1.9 x 15 / 1832821 0.78 x 11 / 1835821	5.8 / 1781811 3.9 / 1780811	4.5 x 30 / 1783811 1.9 x 15 / 1782811 0.78 x 11 / 1785811 1 x 5 / 1784811
Security level DIN 66399	P-2/T-2/E-2 P-2/T-2/E-2	P-4/T-4/E-3/F-1	P-2/O-2/T-2/E-2 P-2/T-2/E-2	P-4/T-4/E-3/F-1 P-5/T-5/E-4/F-2	P-2/O-2/T-2/E-2 P-2/T-2/E-2	P-4/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3
Cutting capacity 80 g/m <sup>2</sup> in sheets DIN A4	15-17 12-14	6-7	17-19 13-15	8-9 6-7	17-19 13-15	9-11 7-9 4-5	25-27 19-21	14-16 9-11 6 4
Noise level in dB(A)*	55		55		57		56	
Intake width in mm	225		230		240		240	
Motor in Watts	250		320		440		500	
Size (W x D x H) in mm	366 x 258 x 455		365 x 280 x 542		375 x 310 x 600		395 x 317 x 605	
Weight in kg	4	5	10	11	11	13 / 12 / 12	15	17 / 16 / 21 / 21
Collection volume in l	25		25		33		34	
Shredder material: paper and			 		 	 		 

Voltage/frequency: 230 V / 50 Hz, \* in idle operation

All statements without guarantee. Subject to technical and design changes. <sup>1)</sup>CDs CANNOT be destroyed in the following cutting sizes: HSM SECURIO C18 / HSM SECURIO B22: 3.9 mm, 3.9 x 30 mm, HSM SECURIO B24: 1.9 x 15 mm, 0.78 x 11 mm, 1 x 5 mm. <sup>2)</sup>Credit cards CANNOT be destroyed in the following cutting sizes: HSM SECURIO B22: 0.78 x 11 mm, HSM SECURIO B24: 0.78 x 11, 1 x 5 mm. <sup>3)</sup>Paper clips CANNOT be destroyed in the following cutting sizes: generally at 1 x 5 mm.


# HSM SECURIO B-series document shredders

Energy-saving, reliable and versatile. The document shredders in the B-series are characterized by a high performance and maximum functionality. This range of shredders is designed for the use of up to 8 people.



## Special product features:

- Light barrier for automatic start/stop.
- Powerful motor allows for continuous operation.
- Convenient removal and emptying of the removable reusable collecting bag.
- High quality wooden floor cabinet with door (from B26 upwards).
- Safety element prevents unintentional entry.
- Mobile on castors (from B24 upwards).



Powerful motor allows for continuous operation.



e. g. paper



e. g. CDs, DVDs, Blu-ray-discs



e. g. floppy disks, ID-cards with magnetic strips



e. g. USB sticks, chip cards, solid state drives, flash memory



e. g. films, foils



8 9 HSM SECURIO B22 / B24



10 11 HSM SECURIO B26 / B32



12 HSM SECURIO B34



13 HSM SECURIO B35



Find out more.  
Scan the QR code.



Find out more.  
Scan the QR code.

Model	10 HSM SECURIO B26		11 HSM SECURIO B32		12 HSM SECURIO B34		13 HSM SECURIO B35	
Scope of application	Office (up to 5 persons)		Office (up to 5 persons)		Large office (up to 8 persons)		Large office (up to 8 persons)	
Cutting type	strip	particle	strip	particle	strip	particle	strip	particle
Cutting size in mm / Product number	5.8 / 1801811 3.9 / 1800811	4.5 x 30 / 1803811 1.9 x 15 / 1802811 0.78 x 11 / 1805811 1 x 5 / 1804811	5.8 / 1821811 3.9 / 1820811	4.5 x 30 / 1823811 1.9 x 15 / 1822811 0.78 x 11 / 1825811 1 x 5 / 1824811	5.8 / 1841811 3.9 / 1840811	4.5 x 30 / 1843811 1.9 x 15 / 1842811 0.78 x 11 / 1845811 1 x 5 / 1844811	5.8 / 1921811 3.9 / 1920811	4.5 x 30 / 1923811 1.9 x 15 / 1922811 0.78 x 11 / 1925811 1 x 5 / 1924811
Security level DIN 66399	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3
Cutting capacity 80 g/m <sup>2</sup> in sheets DIN A4	25-27 19-21	14-16 9-11 6 4	25-27 19-21	14-16 9-11 6 4	30-32 25-27	19-21 12-13 8 5	35-37 26-28	21-22 14-15 9 5
Noise level in dB(A)*	55		56		56		56	
Intake width in mm	280		310		310		400	
Motor in Watts	500		500		590		590	
Size (W x D x H) in mm	497 x 397 x 676		497 x 398 x 793		541 x 439 x 845		618 x 525 x 870	
Weight in kg	24	26 / 27 / 28 / 28	26	27	35	42	48	54 / 53 / 54 / 54
Collection volume in l	55		82		100		130	
Shredder material: paper and								

Voltage/frequency: 230 V / 50 Hz, \* in idle operation

All statements without guarantee. Subject to technical and design changes. <sup>1)</sup> CDs CANNOT be destroyed in the following cutting sizes: HSM SECURIO B26 / HSM SECURIO B32 / HSM SECURIO B34 / HSM SECURIO B35: 1.9 x 15 mm, 0.78 x 11 mm and 1 x 5 mm. <sup>2)</sup> Credit cards CANNOT be destroyed in the following cutting sizes: HSM SECURIO B26 / HSM SECURIO B32 / HSM SECURIO B34 / HSM SECURIO B35: 0.78 x 11 mm and 1 x 5 mm. <sup>3)</sup> Paper clips CANNOT be destroyed in the following cutting sizes: generally at 1 x 5 mm.

# HSM – the company

## Shredding and Compressing.



Since 1971, HSM has been pursuing a clear strategy – a consistent commitment to quality “Made in Germany”. This product and service quality is the key to success in both the office technology and environmental technology business sectors. As a specialist for products and services for data protection as well as technologies for optimising logistics and recycling processes, HSM is one of the world’s leading providers.

**Enquire now! We are always glad to help.**

### Head office in Germany:

HSM GmbH + Co. KG · Austraße 1-9 · 88699 Frickingen / Germany  
Tel. +49 7554 2100-0 · Fax +49 7554 2100-160  
info@hsm.eu · www.hsm.eu

### E-mail / Hotline:

Gratis Hotline  
DE, AT, IT, ES, BE, NL, LU  
Tel. 00800 44 77 77 66

HSM Vertrieb Deutschland  
Deutschland@hsm.eu

HSM Vertrieb Österreich  
Austria@hsm.eu

HSM Vertrieb Schweiz  
Schweiz@hsm.eu

HSM Verkoop België, Nederland,  
Luxemburg  
Benelux@hsm.eu

HSM Commerciale Italia  
Italia@hsm.eu

### HSM subsidiaries:

HSM Técnica de Oficina  
y Medioambiente, España, S.L.U.  
C/Tona  
Nave nº 15 “El Lago”  
Pol. Ind. Monguit  
08480 L’Ametlla del Vallès  
Barcelona  
Spain  
Tel. +34 93 8617168  
Fax +34 93 8463417  
Spain@hsm.eu  
www.hsm.eu

HSM France SAS  
Parc de Genève  
240, Rue Ferdinand Perrier  
69800 Saint-Priest  
France  
Tél. +33 472 210580  
Fax +33 472 517481  
France@hsm.eu  
www.hsm.eu

HSM (UK) Ltd.  
14 Attwood Road / Zone 1  
Burntwood Business Park  
Burntwood · Staffordshire  
WS7 3GJ  
United Kingdom  
Tel. +44 1543 272-480  
Fax +44 1543 272-080  
sales.uk@hsm.eu  
www.hsm.eu

HSM Polska Sp. z o.o.  
ul. Emaliowa 28  
02-295 Warsaw  
Polska (Poland)  
Tel. +48 22 862-2369  
Fax +48 22 862-2368  
handlowy@hsm.eu  
www.hsm.eu

HSM of America LLC  
419 Boot Road  
Downingtown  
PA 19335  
USA  
Tel. +1 484 237-2308  
+1 800 613-2110  
Fax +1 484 237-2309  
customerservice@hsm.us  
info@hsm.us  
www.hsm.us

# HSM®

Great Products, Great People.